

# Coupling

HOSE • CONNECTIONS • SOLUTIONS

YOUR SOLUTION CENTER SINCE 1972




# Hydraulic Hose

Part #	Working Pressure (PSI)			Application/Comments			Temp	Gates Ends			
<b>EXTREMELY HIGH PRESSURE</b>											
	G6K SAE 100R15	Size	PSI		Extremely high pressure, high impulse applications such as hydrostatic transmissions. 4-6 spiral wraps. (Enviro-Fluid version = EFG6K)			* -40°F +250°F - GS (Size 6~20) - PCM (Size 24)			
		All	6000								
	G5K (C13) SAE 100R13	Size	PSI		Extremely high pressure hydraulic applications. 4-6 spiral wraps. (Enviro-Fluid version = EFG5K)			* -40°F +250°F - GS (Size 6~20) - PCM (Size 24 & 32)			
		All	5000								
<b>VERY HIGH PRESSURE</b>											
	C12M SAE 100R12	Size	PSI		Very high-pressure hydraulic applications. 4 spiral wraps. (Enviro-Fluid version = EFG4K)			* -40°F +250°F - GS (Size 6~20) - PCS (Size 24 & 32)			
		6~16	4000								
		20	3000								
		24 & 32	2500								
<b>HIGH PRESSURE</b>											
	G2 (C2AT) SAE 100R2AT	Size	PSI	Size	PSI	Size	PSI	High-pressure hydraulic oil lines. 2-wire braids. * -40°F +212°F - G (Size 4~20) - PC (Size 24 & 32) - Reusable style			
		3	6000	4	5800	6	4800				
		8	4000	10	3625	12	3100				
		16	2400	20	1825	24	1300				
		32	1175								
	M2T SAE 100R16	Size	PSI	Size	PSI	Size	PSI	High-pressure hydraulic oil lines. Smaller O.D. dimensions & tighter bend radius than standard 100R2AT. 2 wire braids. * -40°F +212°F - G - PC SS			
		4	5000	6	4000	8	3500				
		10	3000	12	2250	16	2000				
	M3K SAE 100R17	Size	PSI		High-pressure hydraulic oil lines. Smaller O.D. dimensions & tighter bend radius than standard 100R1 & 2. 1-2 wire braids. * -40°F +212°F - G						
		All	3000								
	J2AT MHI IJ100	Size	PSI		Hydraulic jack applications. 2 wire braids. Burst=2to1 * -40°F +212°F - G (MPT long nose on Jack end only.)						
		4 & 6 Only	10,000								
<b>MEDIUM PRESSURE</b>											
	G1 (C1T) SAE 100R1AT	Size	PSI	Size	PSI	Size	PSI	Medium-pressure hydraulic lines. 1-wire braid. * -40°F +212°F - G (Size 4~20) - PC (Size 3, 24 & 32) - Reusable style			
		3	3625	4	3275	5	3125				
		6	2600	8	2325	10	1900				
		12	1525	16	1275	20	925				
		24	725	32	600						
<b>LOW PRESSURE</b>											
	GMV SAE 100R4	Size	PSI	Size	PSI	Size	PSI	Petroleum & water-base hydraulic fluids in suction and/or low pressure return lines. 1/2 bend radius of standard 100R4. * -40°F +257°F (+300 intermit.) - G (Size 12~20) - GL - PC (Size 24 & 32)			
		12	350	16	300	20	250				
		24	162	32	112						
	LOL Push Lock	Size	PSI		Petroleum-base hyd. oils, water, glycol antifreeze, lubricating oil, air. (Not for gas or diesel fuels unless approved by Gates product apps.) * -40°F +212°F (+160°F air) Push-lock hose barbs						
		All	300								
<b>REFRIGERANT</b>											
	AC134a SAE J51, TA2, TD J2064, TC	Size	PSI		Liquid & gaseous R134a and R12 refrigerants in auto air conditioning and indust. systems; i.e., tractors, trucks, mobile refrig. units, etc. * -40°F +257°F G45 (ACA) PolarSeal						
		All	500								

\*SEE GATES CATALOG FOR MORE SPECIFIC TEMPERATURE INFORMATION.

# Hydraulic Hose


Part #	Working Pressure (PSI)						Application/Comments	Temp	Gates Ends					
FLEET APPLICATION														
	C5C SAE 100R5	Size	PSI	Size	PSI	Size	PSI	Petroleum-base oils in impulse apps., lube oil, air brakes, power steering, turbochargers, transmission coolant, filtration lines, not recommended for gas or diesel.	*	- C5 Reusable - PC (2 Piece Crimp)				
		4 & 5	3000	6	2250	8	2000		-40-+212°F (+300°F fleet, +160°F air)					
	C5D SAE J1402 J1019	Size	PSI	Size	PSI	Petroleum or phosphate ester fluids. Diesel fuels, filtration lines, transmission coolant, hot lube oil, power steering, gasoline & turbocharge supplies, airbrakes.				- C5 Reusable				
		4, 5, 6	1500	8 & 10	1250									
	C5M SAE J1942 J1527	Size	PSI		On-shore/off-shore and marine diesel fuel & gasoline applications, hot oil lines up to 212°F.				* -40°F +212°F	- C5 Reusable - PC (2 Piece Crimp)				
		All	500											
	C5E	Size	PSI	Size	PSI	Size	PSI	Air brakes, power steering, fuel filter, engine & transmission coolant lines, hot (+300) lube oil lines.		* -40°F +300°F (+250°F air)	- C5E Reusable - PC (2 Piece Crimp)			
		4, 5, 6	1500	8, 10	1250	12	750							
	T1167 TEFLON SAE 100R14	Size	PSI	Size	PSI	Size	PSI	High-temp apps. Air compressor discharge, hot oil and fluids, hot and greasy environments. .030 tube wall, Non-conductive virgin PTFE Tubing, 300 SS braid		* -65-+400°F dynamic (-100-+500°F intermit.)	- SWAGE			
		3, 4, 5	3000	6	2500	7	2250							
	NYLON AIRBRAKE SAE J844 DOT	Size	PSI		Truck, bus and mobile air brake, and service lines where heat and battery acid are not present. Meets DOT FMVSS 106-74 (Rubber Air Brake also available)				* -40°F +200°F	Nylon air brake fittings (NAB). DOT Push-Connect Fittings (PPDOT)				
		All	150											
THERMO PLASTIC														
	GT7 (C7S) SAE 100R7	Size	PSI	Size	PSI	Size	PSI	Petroleum, water base and synthetic hydraulic fluids. Power & telephone mobile equipment, hydraulic lifts, farm & construction equipment.		* -65°F +200°F (+158°F water)	- G - PCTS (except -16)			
		4	2750	5	2500	6	2250							
	GT7NC (C7SNC) SAE 100R7 NC	Size	PSI	Size	PSI	Size	PSI	Non-conductive. Petroleum, water base and synthetic hydraulic fluids. Power & telephone mobile equip., hydraulic lifts, farm & construction equipment. Color=orange		* -65°F +200°F (+158°F water)	- G - PCTS (except -16)			
		4	2750	5	2500	6	2250							
	GT7DL (C7SDL) 100R7 Dual Line	Size	PSI		Size	PSI		Same as GT7 (C7) except Dual Line. Non-conductive version also available.		* -65°F +200°F (+158°F water)	- G - PCTS (except -16)			
		4	2750	5	2500	6	2250							




- CALL FOR MORE GATES HYDRAULIC AND FLEET OPTIONS
- ECONOMY / IMPORT OPTIONS ALSO AVAILABLE.
- BRAKE HOSE ASSEMBLIES MADE TO ORDER.
- CRIMPER PLACEMENTS AVAILABLE.



## Hose Guard

4 / 6 / 8 HOSE PROTECTOR	BEND REST. BLACK / RED	HG NYLON GUARD	USY POLYURETHANE SLEEVE	93xxx POLYETHYLENE WRAP	825xx SPRING GUARD	E1361 FIRE SLEEVE
						

# Industrial Hose



## **ACID / CHEMICAL**

Suction  
Discharge  
Paint Spray  
Chemical Spray  
Teflon Hose  
Metal Hose

## **AIR**



Air Drill  
Hot Air Blower  
Air Breather  
Nylon Air Brake  
Rubber Air Brake  
Vacuum  
more ...

## **MULTIPURPOSE**

Rubber  
Polyurethane  
Push-on  
PVC

## **DUCTING**

Thermoplastic Rubber  
Polyurethane  
Silicon  
PVC  
Galvanized  
Stainless Steel  
Garage Exhaust  
more ...



## **FOOD HANDLING**


Suction  
Discharge  
Beverage  
Distillery  
Wash Down  
Hot Oil  
more ...

## **MATERIAL HANDLING**

Suction  
Discharge  
Galvanized Steel  
Stainless Steel  
Hot Tar  
Sandblast  
more ...

## **PETROLEUM**

Propane/Butane  
Oil/Diesel  
Gasoline  
Tank Truck  
Fuel Line  
Farm Tank  
more ...



## **SPECIAL APPLICATION**

Ag Spray  
Paint Spray  
Heater Hose  
Radiator Hose  
Marine Exhaust  
Bell Ringer  
more ...

## **STEAM**

High Ozone Resistant  
High Oil Resistant  
Metal Flex  
Teflon  
more ...

## **WATER**

PVC Lay Flat  
Rubber Lay Flat  
PVC Suction  
Rubber Suction  
Thermoplastic Rubber  
Braided PVC  
more ...

## Industrial Hose



### MILL / FIRE HOSE

Single Jacket Cloth  
Double Jacket Cloth  
Heavy Duty Nitrile Rubber



### METAL HOSE / EXPANSION JOINTS

Premium Grade Metal Flex  
Premium Grade Extra Flex  
Metal Expansion Joints  
Rubber Expansion Joints  
Fabric Expansion Joints



### PRESSURE WASH

Cold & Hot Water Pressure Washing  
One wire  
Two wire  
Non Marking



### GARDEN HOSE / CONTRACTOR WASH DOWN

Light & Highly Durable Polyurethane  
Heavy Duty Rubber  
Durable & Economical PVC



### AIR HOSE ASSEMBLIES

Best Quality Polyurethane  
Best Quality Polyurethane Recoil  
High Quality Rubber  
Economical PVC



### IRRIGATION HOSE

4" by 20' Irrigation Assemblies  
2 ply Rubber Discharge  
4 ply Rubber Discharge  
Pivot Boots  
Pivot Droplines



**FEDERAL HOSE®**  
Since 1921



**Pacific Echo Inc.**

**Parker**



**Sun-Flow**  
**INC.**



**Thermoid®**  
**HBD INDUSTRIES, INC.**

**TITAN INDUSTRIES**  
Manufacturer of Industrial Hose

# Flanges & Flange Adapters

## O-RING FACE FLANGE



- FPT
- FSAE
- Flat Socket Weld-Pipe
- Flat Socket Weld-Tube
- Blanking

## Code 61      Code 62


- |     |     |
|-----|-----|
| W43 | W44 |
| W46 | W48 |
| W4  | W59 |
| W6  | W58 |
| W36 | W38 |

## SF      SFX



FL HALVES  
CODE 61

## SFO      SFXO



FL KIT  
CODE 61

FL KIT  
CODE 62

Call  
For More  
Options

## FLAT FACE FLANGE



- FPT
- FSAE
- Flat Socket Weld-Pipe
- Flat Socket Weld-Tube
- Blanking

## Code 61      Code 62

- |      |     |
|------|-----|
| W104 | W45 |
| W106 | W49 |
| W61  | W60 |
| W62  | W63 |
| W37  | W39 |

## FL-MJ

CODE 61

## FLH-MJ

CODE 62

## FL-MJ45°

CODE 61

## FLH-MJ45°







CODE 62

## FL-MJ90°

CODE 61

## FLH-MJ90°

CODE 62




## Hydraulic JIC Adapters

### 0304-C



FJ-CAP

### 0306




BULK HEAD NUT

### 0318




JIC TUBE NUT

### 0319



JIC TUBE SLEEVE


### 2403



MJ-MJ-STRT

1 2


### 2404



MJ-MPT-STRT

1 2


### 2404-L



MJ-MPT-LONG

1 2


### 2405



MJ-FPT-STRT

1 2

### 2406



FJ-MJ-STRT

1 2


### 2408



MJ-PLUG

1 2


### 2500



MJ-MJ-90

1 2


### 2501



MJ-MPT-90

1 2


### 2501-L



MJ-MPT-90L

1 2


### 2501-LL / LLL



MJ-MPT-90LL / LLL

1 2


### 2502



MJ-FP-90

1 2


### 2503



MJ-MPT-45

1 2


### 2504



MJ-MJ-45

1 2


### 2505



MJ-FPT-45

1 2


### 2601



MJ-MJ-MPT

1 2


### 2602



MJ-MJ-FPT

1 2


### 2603



MJ-MJ-MJ

1 2


### 2605



MJ-MPT-MJ

1 2


### 2606



MJ-FPT-MJ

1 2


### 2610



MPT-MPT-MJ

1 2


### 2611



MJ-MPT-FPT

1 2


### 2700



MJ-MJ-STRT/BLKHD

1 2


### 2701



MJ-MJ-90/BLKHD

1 2


### 2702



MJ-MJ-45/BLKHD

1 2


### 2703



MJ-MJ-MJ/BLKHD

1 2


### 2704



MJ-MJ-MJ/BLKHD

1 2


### 2705



FPT-MJ/BLKHD

1 2


### 2706



MPT-MJ/BLKHD

1 2


### 6500



MJ-FJX-90

1 2


### 6501



MPT-FJX-90

1 2


### 6502



MJ-FJX-45

1 2


### 6504



MJ-FJX-STRT

1 2


### 6505



MPT-FJX-STRT

1 2


### 6506



FPT-FJX-STRT

1 2


### 6565



FJX-FJX-STRT

1 2


### 6600



MJ-MJ-FJX

1 2


### 6602



MJ-FJX-MJ

1 2




























### 6603





















FJX-FJX-MJ

1 2






## Hydraulic Pipe Adapters

<b>1404</b> MPT-FPX-STRT 	<b>1405</b> FPT-FPX-STRT 	<b>1501</b> MPT-FPX-90 	<b>1502</b> FPT-FPX-90 	<b>1503</b> MPT-FPX-45 	<b>1504</b> FPT-FPX-45 	<b>1601</b> MPT-FPX-FPX 
<b>1602</b> FPT-FPX-FPX 	<b>1603</b> FPX-FPX-FPX 	<b>5000</b> FPT-FPT 	<b>5404</b> MPT-MPT-STRT/HEX 	<b>5405</b> MPT-FPT-STRT 	<b>5406</b> MPT-FPT BUSHING 	<b>5406-HP</b> MPT-PLUG/HLLWHEX 
<b>5406-P</b> MPT-PLUG/HEXHD 	<b>5406-SHP</b> MPT-PLUG/SQRHD 	<b>5500</b> MPT-MPT-90 	<b>5501</b> MPT-MPT-45 	<b>5502</b> MPT-FPT-90 	<b>5503</b> MPT-FPT-45 	<b>5504</b> FPT-FPT-90 
<b>5505</b> FPT-FPT-45 	<b>5600</b> MPT-MPT-MPT 	<b>5601</b> MPT-MPT-FPT 	<b>5603</b> MPT-FPT-MPT 	<b>5604</b> FPT-FPT-MPT 	<b>5605</b> FPT-FPT-FPT 	<b>5652</b> FPT-CROSS 














## Hydraulic SAE O-Ring Boss Adapters

<b>3474</b> MOB-MOB-STRT 	<b>6400</b> MJ-MOB-STRT 	<b>6400-L</b> MJ-MOB-STRT/LONG 	<b>6401</b> MOB-MPT-STRT 	<b>6402</b> MOB-FJX-STRT 	<b>6404</b> FOB-MPT-STRT 	<b>6405</b> MOB-FPT-STRT 
<b>6408</b> MOB-PLUG/HEXHD 	<b>6408-H</b> MOB-PLUG/HLLW HEX 	<b>6410</b> MOB-FOB-STRT 	<b>6801</b> MJ-MOB-90 	<b>6801-L / LL</b> MJ-MOB-90L / LL 	<b>6802</b> MJ-MOB-45 	<b>6803</b> MJ-MJ-MOB 
<b>6804</b> MJ-MOB-MJ 	<b>6805</b> MOB-FPT-90 	<b>6806</b> MOB-MPT-90 	<b>6809</b> MOB-FJX-90 	<b>6900</b> MOB-FPX-STRT 	<b>6901</b> MOB-FPX-90 	<b>6902</b> MOB-FPX-45 

## Beaded Barb Fittings

<b>4000</b> ORING-MOB 	<b>4404</b> BARB-MPT-STRT/BEADED 	<b>4501</b> BARB-MPT-90/BEADED 	<b>4503</b> BARB-MPT-45/BEADED 	<b>4601</b> BARB-MOB-90/BEADED 	<b>4603</b> BARB-MOB-45/BEADED 	<b>4604</b> BARB-MOB/BEADED 
---	--	--	--	---	--	---

## Hydraulic O-Ring Face Seal Fittings

<b>FS0304-C</b> FOFS-CAP-INSERT 	<b>FS0306</b> OFS BULKHD NUT 	<b>FS0318</b> FOFS-NUT 	<b>FS0319</b> OFS SLEEVE 	<b>FS0403</b> BRAZE-MOFS-STRT 	<b>FS2403</b> MOFS-MOFS-STRT 	<b>FS2404</b> MOFS-MPT-STRT 
<b>FS2406</b> FOFS-MOFS-STRT 	<b>FS2408</b> MOFS-PLUG 	<b>FS2500</b> MOFS-MOFS-90° 	<b>FS2501</b> MOFS-MPT-90° 	<b>FS2603</b> MOFS-TEE 	<b>FS2700</b> MOFS-MOFS/BLKHD 	<b>FS2701</b> MOFS-MOFS-90°/BLKHD 
<b>FS6400</b> MOFS-MOB-STRT 	<b>FS6400-L</b> MOFS-MOB-STRT/L 	<b>FS6403</b> MOFS-MJ-STRT 	<b>FS6500</b> MOFS-FOFS-90° 	<b>FS6504</b> FOFS-MJ-STRT 	<b>FS6505</b> MPT-FOFS-STRT 	<b>FS6600</b> MOFS-MOFS FOFS 
<b>FS6602</b> MOFS-FOFS-MOFS 	<b>FS6801</b> MOFS-MOB-90° 	<b>FS6802</b> MOFS-MOB-45° 	<b>FS6803</b> MOFS-MOFS-MOB 	<b>FS6804</b> MOFS-MOB-MOFS 	<b>FS6809</b> FOFS-MOB 90° 	 Call For More Options

**adaptall**  
INC.

  
**BRENNAN** Industries












## Call Out / Dash Sizes

<b>-01</b> = 1/16"	<b>-10</b> = 5/8"
<b>-02</b> = 1/8"	<b>-12</b> = 3/4"
<b>-03</b> = 3/16"	<b>-14</b> = 7/8"
<b>-04</b> = 1/4"	<b>-16</b> = 1"
<b>-05</b> = 5/16"	<b>-20</b> = 1-1/4"
<b>-06</b> = 3/8"	<b>-24</b> = 1-1/2"
<b>-08</b> = 1/2"	<b>-32</b> = 2"

ANDERSON FITTINGS






**PCI**

## Hydraulic International Adapters

<b>7000</b> MJ-MBSP-T-STRT 	<b>7002*</b> MJ-MBSPP-STRT 	<b>7004</b> MJ-FBSPPX-STRT 	<b>7005</b> MJ-MM-PORT SEAL (REQUIRES 8800) 	<b>7005-L</b> MJ-MDL-DUAL SEAT (DIN LIGHT) 	<b>7005-S</b> MJ-MDH DUAL SEAT (DIN HEAVY) 	<b>7007-L</b> MJ-FDLX (DIN LIGHT) 
<b>7007-S</b> MJ-FD�Х (DIN HEAVY) 	<b>7008</b> MJ-MJIS (JAPAN.IND.STND.) 	<b>7009</b> MJ-MK (KOMATSU) 	<b>7022</b> FJX-MBSPP-STRT 	<b>7042</b> FPT-MBSPP-STRT 	<b>7062</b> MOB-MBSPP-STRT 	<b>7588-P</b> MJJS-PLUG (JAPAN.IND.STND.) 
<b>7599-P</b> MK-PLUG (KOMATSU) 	<b>7688-C</b> FJIS-CAP (JAPAN.IND.STND.) 	<b>7699-C</b> FK-CAP (KOMATSU) 	<b>8800</b> (METRIC) <b>9900</b> (BSSP) BONDED SEAL 	<b>9522-P</b> MBSPP-PLUG/HEXHD 	<b>9644-C</b> FBSPP-CAP 	 Call For More Options

\* FOR O-RING SEAL (MBSPPOR) USE 9900 BONDED SEAL AND/OR GATES MJ-MBSPPOR

## Hydraulic Full-Time Swivels & Quick Connects

<b>S</b> SWIVEL-STRT VAC-3000PSI, +200° F  1 2	<b>9S</b> SWIVEL-90° VAC-3000PSI, +200° F  1 2	<b>ANV</b> HYD. QC ISO A INTERCHANGE 	<b>FB</b> HYD. QC WETLINE/WINGNUT 	<b>FF</b> HYD. QC FLUSH FACE 	<b>HNV</b> HYD. QC ISO B INTERCHANGE 	<b>NS*</b> HYD. QC AG BALL TYPE 
<b>9SS</b> SWIVEL-90°-DUAL VAC-3000PSI, +200° F  1 2	<b>18S</b> SWIVEL-180° VAC-3000PSI, +200° F  1 2	<b>NV*</b> HYD. QC AG POPPET TYPE 	<b>PVV</b> HYD. QC CONNECT UNDER PRESS. 	<b>TNV</b> HYD. QC SNAPTITE STYLE 	<b>5TV</b> HYD. QC HYDROSTATIC 	<b>71</b> HYD. QC SNAPTITE 71FF  (1 = BARREL, 2 = STEM)












\*NS & NV SERIES ARE INTERCHANGEABLE















### Hydraulic Quick Connect Interchange Chart

PCI	ANV	HNV	TNV	NS	NV	PVV	FB	FF
AEROQUIP	5600	FD45			FP42/5600		5100	FD 89
FASTER	AN	HNV	TNV	NS	NV	PVVM	FB	FF/2FFI
PARKER	6600	60		4000/8000	4000/8000	3000	6100	FF/FE
SAFEWAY	S56	S10		S20/S40	S21/25/45/71	S31/35	S51	FF49
SNAP-TITE	61	72	BV/SV/VH	21/61			B78	FIMC/74

### Brass Pipe Fittings

<b>100A</b> FPT-FPT-90° 	<b>100-45A</b> FPT-FPT-45° 	<b>101A</b> FPT-TEE 	<b>102A</b> FPT-CROSS 	<b>103A</b> COUPLING <b>119A</b> REDUCER FPT-FPT 	<b>104A</b> FPT-FPT SWVL UNION 	<b>108A</b> FPT-CAP 
<b>109A</b> MPT-PLUG/SQR HEAD 	<b>109CS</b> MPT-PLUG/HOLLW HEX 	<b>110A</b> MPT-FPT-HEX BSHNG 	<b>111A</b> FP-NUT/BULKHEAD 	<b>112A</b> MPT-MPT-CLOSE-NIPPLE 	<b>113A</b> MPT-MPT-LONG-NIPPLE 	<b>116A</b> FPT-MPT-90° STREET ELBOW 
<b>116AM</b> MPT-MPT-90° 	<b>120A</b> FPT-MPT 	<b>121A</b> MPT-PLUG/HEXHD CORED 	<b>122A</b> NIPPLE REDUCING MPT-MPT/HEX <b>123A</b> REDUCING MPT-MPT/HEX 	<b>124A</b> MPT-FPT-45° 	<b>127A</b> FPT-MPT-FPT-TEE 	<b>T9</b> FPT-FPT-MPT-TEE 

### Brass SAE 45° Flare Fittings

<b>E1</b> MS-MPT-90° 	<b>E1-45</b> MS-MPT-45° 	<b>E2</b> MS-MS-90° 	<b>E3</b> MS-FPT-90° 	<b>N1</b> FS-NUT/SHORT 	<b>N2</b> FS-NUT/LONG 	<b>N5</b> FS-CAP 
<b>P2</b> MS-PLUG 	<b>U1</b> MS-MPT-STRT 	<b>U2</b> MS-MS-STRT 	<b>UR3</b> FS-MS-STRT 	<b>U3</b> MS-FPT-STRT 	<b>U4</b> FS-FS-STRT 	<b>U5</b> FS-MPT-STRT 

## Poly Tube Compression Fittings

<b>260PF</b> PTC-SLEEVE-POLY 	<b>261PF</b> PTC-NUT/SLEEVE 	<b>262PF</b> PTC-PTC-STRT 	<b>264PF</b> PTC-TEE 	<b>266PF</b> PTC-FPT-STRT 
<b>268PF</b> PTC-MPT-STRT 	<b>269PF</b> PTC-MPT-90° 	<b>270PF</b> PTC-FPT-90° 	<b>271PF</b> PTC-MPT-PTC-TEE 	<b>272PF</b> PTC-PTC-MPT-TEE 



## Poly Tube Push-Connect Fittings

<b>262PP*</b> PTPC-PTPC UNION 	<b>264PP*</b> PTPC-TEE 	<b>265PP*</b> PTPC-PTPC-90° 	<b>266PP*</b> PTPC-FPT 	<b>268PP*</b> PTPC-MPT 	<b>269PP*</b> PTPC-MPT-90° 
<b>269PPS*</b> PTPC-MPT-90°-SWVL 	<b>271PPS*</b> PTPC-MPX-PTPC-RUN T 	<b>272PPS*</b> PTPC-PTPC-MPX BRNCH T 	<b>279PP*</b> PTPC-MPT-45° 	<b>283PP*</b> PTPC-PTPC/BLKHD 	<b>284PP*</b> PTPC-PLUG 

Call  
For More  
Options

\* DOT APPROVED VERSION (PPDOT) ALSO AVAILABLE

## Nylon Air Brake Fittings

<b>59A</b> NAB-INSERT 	<b>60NAB</b> NAB-SLEEVE 	<b>61NAB</b> NAB-NUT 	<b>62NAB</b> NAB-NAB UNION 	<b>64NAB</b> NAB-TEE 	<b>65NAB</b> NAB-NAB-90° 	<b>CX-001E</b> AIR + ELECTRIC QUICK COUPLERS 
<b>66NAB</b> NAB-FPT-STRT 	<b>68NAB</b> NAB-MPT-STRT 	<b>69NAB</b> NAB-MPT-90° 	<b>71NAB</b> NAB-MPT-NAB-TEE 	<b>72NAB</b> NAB-NAB-MPT-TEE 	<b>79NAB</b> NAB-MPT-45° 	<b>SAFE, QUICK AIR BRAKE AND ELECTRIC CONNECTION</b>

DOT APPROVED

## Rubber Air Brake Fittings

<b>360A</b> RAB-SLEEVE 	<b>361A</b> RAB-NUT 	<b>371A</b> RAB-NUT W/ SPRG 	<b>362A</b> RAB-RAB UNION 	<b>368A</b> RAB-MPT-STRT 	<b>378A</b> RAB-MPT W/SPRING 	<b>129A</b> FPT-FPT-BLUKHEAD 
-------------------------------	----------------------------	------------------------------------	----------------------------------	---------------------------------	-------------------------------------	-------------------------------------

## Brass Standard Hose Barbs

<b>201A</b> BARB-MPT	<b>209A</b> BARB-FPT (SOLID)	<b>209AS</b> BARB-FPSM (SWIVEL)	<b>209ASF</b> BARB-FSX (SAE)	<b>HE1</b> BARB-MPT-90°	<b>HE1-45</b> BARB-MPT-45°



## Brass Push-On Hose Barbs

<b>301</b> PUSHON-MPT	<b>302</b> PUSHON-MS (SAE 45°)	<b>303</b> PUSHON-RIGID TUBE	<b>304</b> PUSHON-SPlicer	<b>305</b> PUSHON-MIF (INVERTED FLARE)	<b>306</b> PUSHON-FIF (INVERTED FLARE)



## Hydrant Adaptors / Accessories

<b>DFP</b> F X F W/ PIN LUGS	<b>DMH</b> M X M W/ HEX	<b>FM</b> F X M W/ HEX	<b>HA</b> F X M W/ PINLUG	<b>SM</b> F X M SWVL	<b>HYDRANT VLV</b> HYDRANT GATE VLV	<b>189</b> HYDRANT WRENCH

## Brass Garden Hose Fittings










<b>GHN5</b> FGH-CAP-HEX	<b>BA97x</b> FGH-FPT	<b>GHS</b> FGHX-FPT-SWVL	<b>BA977</b> FGH-FGH UNION	<b>BMA97x</b> FGH-MPT	<b>BA79x</b> MGH-FPT	<b>BA777</b> MGH-MGH UNION

Call  
For More  
Options

## Nozzles

<b>2100</b> BALL VALVE NZL STREAM & SPRAY	<b>90016</b> GARDEN NZL-BLK RBRPLASTIC INSULATE	<b>SN75</b> GARDEN NZL-YLW HVY DTG NYLN INSULATE	<b>SN</b> BRS GARDEN NZL 2" 4" 6"	<b>BN</b> PLAIN BRS NZL 6" 8" 10" 12"	<b>1030/1575/2520</b> THERMOPLASTIC NZL	<b>150B</b> WASHDWN NZL

## Industrial Fittings

<b>A</b> CAMLCK M-FPT 	<b>B</b> CAMLCK F-MPT 	<b>C</b> CAMLCK F-BARB 	<b>D</b> CAMLCK F-FPT 	<b>E</b> CAMLCK M-BARB 	<b>F</b> CAMLCK M-MPT 	<b>DC</b> CAMLCK-CAP 
<b>DP</b> CAMLCK-PLUG 	<b>G</b> CAMLCK-WASHER 	CAMLOCKS AVAILABLE IN ALUMINUM STAINLESS STEEL POLYPROPYLENE BRASS BOSS LOCK EZ BOSS LOCK	<b>ST</b> KINGNPL-BLKPIPE 	<b>STC</b> KINGNPL-PLATED 	<b>BST</b> KINGNPL-BRASS 	<b>RST</b> KINGNPL-SS 
<b>xxx-HN</b> KINGNPL-POLY 	<b>TN</b> NYLON HOSE BARB 	<b>SAP</b> KINGNPL-PLATED FOR PVC 	<b>STV</b> KINGNPL-GRVD-BLKP. 	<b>STB</b> KINGNPL-BVLD-BLKP. 	<b>DM</b> MENDER-STL 	<b>S</b> KINGCPLG-FEMALE MALLEABLE IRON 
<b>S</b> KINGCPLG-MALE MALLEABLE IRON 	<b>FAB</b> KINGCPLG-FEMALE ALUMINUM & BRASS 	<b>MA</b> KINGCPLG-MALE ALUMINUM 	<b>KRW</b> KINGCPLG-WASHER 	<b>DFVS</b> FOOT VALVE 	<b>RHS</b> STRAINER ROUND HOLE 	<b>SHS</b> STRAINER SQUARE HOLE 
<b>614xx</b> STRAINER-YLINE-PP 	<b>AM</b> AIRKING-BARB 	<b>AM</b> AIRKING-MPT 	<b>AM</b> AIRKING-FPT 	<b>AM</b> AIRKING-BLANKING 	<b>AM</b> AIRKING-3WAY 	<b>AWR</b> AIRKING-WASHER 
<b>QM</b> DIXLOCK F-BARB 	<b>QM</b> DIXLOCK F-MPT 	<b>QM</b> DIXLOCK F-FPT 	<b>QM</b> DIXLOCK M-BARB 	<b>QM</b> DIXLOCK M-FPT 	<b>QM</b> DIXLOCK M-MPT 	<b>B</b> BOSS WNGNUT 
<b>GB</b> BOSS STEM 	<b>GB</b> BOSS SPUD-FPT 	<b>GM</b> BOSS SPUD-MPT 	<b>GBD</b> BOSS SPUD-DBL 	<b>MS</b> BOSS MPT-BARB 	<b>B/BU</b> BOSS CLAMP 	 Call For More Options

## Pressure Wash Accessories

<b>5030NP</b> GUN 	<b>5170D</b> WAND (18"-60") 	<b>CST</b> STRT THRU COUPLER 	<b>CPST</b> STRT THRU PLUG 	<b>76xx</b> EURO PLUG/CPLR (KARCHER) 	<b>QCIMEG</b> SPRAY TIP 	<b>DK97410714</b> SPRAY TIP-TURBO 
--	--	--	--	--	---	---

 **Campbell Fittings**

 **DIXON**

 **EVER-TITE®**  
COUPLING PRODUCTS

 **J.E. ADAMS**  
INDUSTRIES LTD

 **KPC**

## Clamps

<b>1010 Series</b> PINCH CLAMP-2 EAR ZINC PLATED	<b>1510 Series</b> PINCH CLAMP-2 EAR SS	<b>1050 Series</b> PINCH CLAMP-1 EAR ZINC PLATED	<b>1550 Series</b> PINCH CLAMP-1 EAR SS	<b>1670 Series</b> PUNCH CLAMP STEPLESS SS	<b>1780 Series</b> STEPLESS SPRING-CLMP	<b>141000xx</b> PINCHER TOOL
						
<b>50 Series</b> WORMGR-SS W/ ZNCNUT	<b>53 Series</b> WORMGR-LINED	<b>62 Series</b> WORMGR-MICRO	<b>63 Series</b> WORMGR-MARINE-SS	<b>68 Series</b> WORMGR-INDST-SS	<b>TBOLT</b> W/ ZNC BOLT OR ALL SS	<b>CP</b> <small>SS GLV</small> CENTER PUNCH
						
<b>T300</b> CENTER PUNCH TOOL HEAVY DUTY	<b>SO38</b> CENTER PUNCH TOOL POCKET SIZE	<b>C20x</b> BANDING STRAP	<b>C25x</b> BANDING BUCKLE	<b>C001</b> BANDING STRAP TOOL	<b>JS2xx</b> <small>SS GLV</small> PREFORMED CLAMP	<b>DOUBLE BOLT</b> MALLEABLE
						
<b>S3000</b> SPIRAL CLAMP	<b>B/BU</b> BOSS CLAMP	<b>SDP</b> STNDRD PIPE CLAMP-SINGLE	<b>HDP</b> HVY DUTY PIPE CLAMP-TWIN	<b>HZP</b> HEAVY DUTY PIPE CLAMP-TWIN	<b>SDT</b> STNDRD HVY DUTY TUBE CLAMP	<b>HDT</b> HVY DUTY TUBE CLAMP
						



## Valves

<b>BKH</b> HYD.BALL VLV	<b>BK3</b> HYD.BALL VLV 3WAY	<b>K201</b> SS BALL VLV LOCKING	<b>K301</b> SS BALL VLV 4BOLT, LOCKING	<b>100SSW</b> BRS BALL VLV	<b>100SKW</b> BRS BALL VLV LOCKING	<b>IEOSKW</b> BRS BALL VLV AUTODRAIN, LOCKING
						
<b>101SSW</b> BRS BALL VLV F X M	<b>101SKW</b> BRS BALL VLV LOCKING, F X M	<b>180SKW</b> BRS BALL VLV LOCKING, 3WAY	<b>220SSW</b> BRS BALL VLV IRRIGATION GRD	<b>100</b> BRS-BALL-VLV HANDLE	<b>100K</b> BRS-BALL-VLV HANDLE LOCK	<b>AN10/20/30</b> BRS-BALL-VLV MINI-F X F
						
<b>AN11/21/31</b> BRS BALL VLV MINI-F X M	<b>611xx</b> POLY BALL VLV	<b>TMF</b> FLOW CONTROL VLV	<b>HSP</b> CHECK VLV HARD SEAT	<b>VU</b> CHECK VLV SOFT SEAT	<b>ES010</b> BRS CHECK VLV INLINE-POPPET	<b>ES004</b> BRS-SWING CHECK VLV
						
<b>T110</b> GATE VLV	<b>49PC</b> SHUT OFF VLV	<b>42D</b> DRAIN VLV	<b>A930/931</b> NEEDLE DRAIN VLV	<b>HYDRANT VLV</b> HYDRANT GATE VLV		
						

## Reels

SPRING DRIVEN



HAND CRANK &amp; PORTABLE



MOTOR DRIVEN



ELECTRIC CORD&amp;CABLE



EZCOIL SAFETY



HOSE STOP

Call  
For More  
Options

## Maintenance Products

**EP-46-5**

HYD. OIL-5 GALLON

**TT**

TOOL OIL

**TTCW**

TOOL OIL-COLD WEATHER

**CT**


COMPRESSOR OIL

THREAD LOCKERS  
SEALANTS / LUBRICANTS  
MAINTENANCE**ABSORBENTS****CABLE TIES**

## Gauges

**DS**DRY GAUGE  
STEM MOUNT**DB**DRY GAUGE  
BACK MOUNT**LS**LIQUID GAUGE  
STEM MOUNT**LB**LIQUID GAUGE  
BACK MOUNT**CF-1P**

PANEL BRACKET



## Filters, Regulators, Lubricators

**FIL**  
FILTER STANDARD**REG**  
REGULATOR STANDARD**LUB**  
LUBRICATOR STANDARD**FR**  
FILTER+REGULATOR STANDARD**FRL**  
FILTER+REG.+LUB. STANDARD**FIL-BIT**  
FILTER MINI**REG-BIT**  
REGULATOR MINI**LUB-BIT**  
LUBRICATOR MINI**FR-BIT**  
FILTER+REGULATOR MINI**FRL-BIT**  
FILTER+REG.+LUB. MINI

**DYNAMIC**  
FLUID COMPONENTS, INC.

**METAL WORK**  
PNEUMATIC

## Air Accessories

**A2A**  
4MPT-4PLUG  
ERGONOMIC PLUG-IND.**G2A**  
4MPT-4PLG  
ERGONOMIC PLUG-AUTO**G3A1S**  
6MPT-4PLG  
ERGONOMIC PLUG-AUTO**G3A**  
6MPT-6PLUG  
ERGONOMIC PLUG-AUTO**TRI-SOURCE**  
QUICK CPLR MANIFOLD  
TRIPOD**TRI-HEX**  
QUICK CPLR MANIFOLD  
FLAT**xTPMx**  
FPT MANIFOLD  
TRIPOD**xFMx**  
FPT MANIFOLD  
FLAT**A200**  
BLOW GUN  
STANDARD TIP**A201**  
BLOW GUN  
RUBBER TIP**204-30A**  
BLOW GUN  
SAFETY TIP**BGML-KIT**  
BLOW GUN  
W/ TIP KIT**AK13/BGPG-VC**  
BLOW GUN  
VARIABLE CONTROL**2-N-1-BG**  
BLOW GUN  
W/ INFLATOR TIP**A101**  
INFLATOR  
W/ DUAL FOOT CHUCK**A104**  
AIR CHUCK**104CA**  
AIR CHUCK W/ CLIP**701**  
TANK VALVE-MPT1/8**701-2**  
TANK VALVE-MPT1/4**701-42**  
TANK VALVE-BARB1/4**902D**  
TIRE GAUGE-150PSI**MUFFLER**

# Air Quick Couplers

Thread	1/4" Body		3/8" Body		1/2" Body		
	Contractor's Choice #	AMFLO #	Contractor's Choice #	AMFLO #	Contractor's Choice #	AMFLO #	
<b>Automotive Plugs</b>							
	FPT 1/4	AP4F	CP2	AP6F4	CP8	-	-
	FPT 3/8	AP4F6	CP2-23	AP6F	CP6	-	CP10-23
	MPT 1/4	AP4M	CP1	AP6M4	CP7	-	-
	MPT 3/8	AP4M6	CP1-03	AP6M	CP5	-	CP9-03
	PUSH-ON 1/4*	AP4H4	CP1-42L	AP6H4	CP5-42L	-	-
	PUSH-ON 3/8*	AP4H6	CP1-44L	AP6H6	CP5-44L	-	-
<b>Automotive Couplers</b>							
	FPT 1/4	AC4F	C2	AC6F4	C8	-	-
	FPT 3/8	AC4FG**	C2R	-	-	-	-
	MPT 1/4	AC4F6	C2-23	AC6F	C6	-	C10-23
	MPT 3/8	AC4M	C1	AC6M4	C7	-	-
	MPT 1/4	AC4MG**	-	-	-	-	-
	MPT 3/8	AC4M6	C1-03	AC6M	C5	-	C9-03
	PUSH-ON 1/4*	AC4H4	C2-42L	AC6H4	C6-42L	-	-
	PUSH-ON 3/8*	AC4H6	C2-44L	AC6H6	C6-44L	-	-
<b>Industrial Plugs</b>							
	FPT 1/4	IP4F	CP20	IP6F4	CP26-22	-	-
	FPT 3/8	IP4F6	CP20-23	IP6F	CP-26	-	CP18-23
	MPT 1/4	IP4M	CP21	IP6M4	CP25-02	-	-
	MPT 3/8	IP4M6	CP21-03	IP6M	CP25	-	CP17-03
	PUSH-ON 1/4*	IP4H4	CP21-42L	IP6H4	CP25-42	-	-
	PUSH-ON 3/8*	IP4H6	CP21-44L	IP6H6	CP25-44L	-	-
<b>Industrial Couplers</b>							
	FPT 1/4	IC4F	C20	IC6F4	C26-22	-	-
	FPT 3/8	IC4F6	C20-23	IC6F	C26	-	C10-23
	MPT 1/4	IC4M	C21	IC6M4	C25-02	-	-
	MPT 3/8	IC4M6	C21-03	IC6M	C25	-	C9-03
	PUSH-ON 1/4*	IC4H4	C20-42L	IC6H4	C26-42L	-	-
	PUSH-ON 3/8*	IC4H6	C20-44L	IC6H6	C26-44L	-	-
<b>1/2" Automotive / Industrial Plugs</b>							
	FPT	-	-	-	-	AIP8F	CP10
	MPT	-	-	-	-	AIP8M	CP9
<b>1/2" Automotive / Industrial Couplers</b>							
	FPT	-	-	-	-	AIC8F	C10
	MPT	-	-	-	-	AIC8M	C9
<b>Universal Couplers</b>							
	FPT 1/4	UC4F	C60	UC6F4	-	-	-
	FPT 3/8	-	-	UC6F	-	-	-
	MPT 1/4	UC4M	C61	UC6M4	-	-	-
	MPT 3/8	-	-	UC6M	-	-	-

\* STANDARD HOSE BARB ALSO AVAILABLE

\*\* GRIP COLLAR



## SAE Flange Measurement Chart

Dash Size	8	10	12	16	20	24	32	40	48	56	64
Code 61 Flanges											
-Flange Head OD	1.188	1.345	1.500	1.750	2.000	2.375	2.812	3.312	4.000	4.500	5.000
-Flange Head Thickness	265	265	265	315	315	315	375	375	375	422	442
Bolt Pattern (short)	688	N/A	N/A	1.031	1.188	1.406	1.688	2.000	2.38	2.750	3.062
Bolt Pattern (long)	1.500	N/A	N/A	2.062	2.312	2.750	3.092	3.500	4.188	4.750	5.125
Code 62 Flanges											
-Flange Head OD	1.250	N/A	1.625	1.875	2.125	2.500	3.125	N/A	N/A	N/A	N/A
-Flange Head Thickness	305	N/A	345	375	405	495	545				
-Bolt Pattern (short)	718	N/A	893	1.093	1.250	1.437	1.750				
-Bolt Pattern (long)	1.594	N/A	2.000	2.250	2.625	3.125	3.812				

## Dash Size

2      3      4      5      6      8      10      12      14      16      20      24      32

PIPE-Male

PIPE-Female

JIC (37°)-Male\*

JJC (37°)-Female

SAE O-ring Boss

Flareless Tube

SAE (45°)-Male\*

SAE (45°)-Female

SAE inverted Flare-Male\*

SAE inverted Flare-Female

O-ring Face Seal-Male\*

O-ring Face Seal-Female

BSP & BSPT\*

-Male

-Female

JIS 30° Flare & Taper

-Male

-Female

\* CALL OUT SIZE

## Domestic Thread Identification Chart

2      3      4      5      6      8      10      12      14      16      20      24      32

N/A

N/A

1/2-20

29/64-20

1/2-18

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

## BSP Thread Identification Chart

2      3      4      5      6      8      10      12      14      16      20      24      32

N/A

N/A

1/2-20

29/64-20

1/2-18

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

## Metric Thread Chart

10

12

14

16

18

20

22

24

26

30

33

36

40

42

45

52

N/A

M26x2.0

28mm

N/A

M36x2.0

30mm

N/A

M42x2.0

30mm

N/A

## Metric Thread Identification Chart

10

12

14

16

18

20

22

24

26

30

33

36

40

42

45

52

N/A

M26x1.5

18mm

N/A

M24x1.5

16mm

N/A

M22x1.5

14mm

N/A

M20x1.5

12mm

N/A

M18x1.5

10mm

N/A

M16x1.5

8mm

N/A

M16x1.5

8mm

N/A

M16x1.5

8mm

N/A

M16x1.5

8mm

N/A

## Metric Thread Identification Chart

10

12

14

16

18

20

22

24

26

30

33

36

40

42

45

52

N/A

M26x2.0

28mm

N/A

M36x2.0

30mm

N/A

M42x2.0

30mm

N/A

## Metric Thread Identification Chart

10

12

14

16

18

20

22